

NOVEMBER 2008

Final Environmental Impact Report for the Henry Mayo Newhall Memorial Hospital Master Plan



Lead Agency:

City of Santa Clarita

Henry Mayo Newhall Memorial Hospital Master Plan Final Environmental Impact Report

In accordance with Sections 15120 through 15132 and Section 15161 of the *California Environmental Quality Act (CEQA) Guidelines*, the City of Santa Clarita has prepared a Final EIR for the Henry Mayo Newhall Memorial Hospital Master Plan Project (SCH #2004111149).

The Final EIR is comprised of the following:

- September 2008 Revised Draft EIR (Separate Volume)
- September 2008 Revised Draft EIR Technical Appendices (Separate Volumes and/or CD)
- Errata (Enclosed)
- Mitigation Monitoring Program (Enclosed)
- Comments and Responses (Enclosed)

within the project's *Traffic Impact Analysis* have been applied. However, because there is now no reasonable plan of actual mitigation that has been adopted and is in place, and because these improvements have not been added to a district, such as a Bridge & Thoroughfare District, impacts under the long-range cumulative scenario would result in significant unavoidable impacts at the following two intersections:

- ◆ McBean Parkway at Valencia Boulevard
- ◆ McBean Parkway at Orchard Village Road”

Thus, because a dedicated funding source did not exist at the time the September 2008 Revised Draft EIR was circulated, completion of mitigation measures TR7 and TR8 was not certain, and were therefore deemed not feasible. Consequently, a Statement of Overriding Considerations for long-range cumulative impacts at these intersections was indicated, should the City Council wish to approve the Project. The wording of TR7 and TR8 in the September 2008 Revised Draft EIR did recognize that should the intersection improvements identified in TR7 and TR8 be incorporated into a formal fair share district, payment of district fees by the Project would constitute compliance with those mitigation measures, and impacts at the two intersections would be reduced to less than significant, based upon the existence of an identified funding source to build the improvements.

The McBean Parkway-Valencia Boulevard intersection and the McBean Parkway-Orchard Village Road intersection are geographically located within the joint City of Santa Clarita – County of Los Angeles Valencia Bridge & Major Thoroughfare Construction Fee District. Since the circulation of the September 2008 Revised Draft EIR, which began on September 3, 2008, the City and Los Angeles County prepared an update to the Valencia Bridge & Major Thoroughfare Construction Fee District which adds these two intersection improvements to the District, along with a number of other District improvements. The City took action on September 9, 2008, to adopt Resolution 08-89 to amend the District. The County took action on October 28, 2008, to adopt a resolution to amend the District.

With the update of the Valencia Bridge & Major Thoroughfare Construction Fee District, the payment of B&T fees, per the Mitigation Monitoring and Reporting Program and the project Conditions of Approval, will serve as adequate mitigation for cumulative impacts at these two intersections and, as a result, will reduce cumulative impacts to less than significant. Therefore, a Statement of Overriding Considerations for long-range cumulative traffic impacts at these intersections is no longer required to approve the Project.

Any and all references in the EIR to long-range cumulative traffic impacts at these two intersections should be deemed modified by this errata document.¹

¹ References in the EIR include, but are not limited to, Chapter 1 - Executive Summary, Section 5.4 - Traffic, Chapter 6 - Alternatives to the Proposed Project, and Chapter 8 - Significant Unavoidable Environmental Effects Which Cannot Be Avoided if the Proposed Action is Implemented

B. On-Site City of Santa Clarita Parking Requirements

The City's Unified Development Code calculates parking based on square feet/footage, which is defined as the gross square feet or footage of a building, tenant space, or area, unless indicated otherwise (Section 17.18.130). The HMNMH Master Plan Parking Summary and Footnote 2 within Table 2-1 of the Appendix K *Parking Study Report*, which are both included in the September 2008 Revised Draft EIR, cite the City's *Unified Development Code* definition of gross floor area, which was used as the basis to determine the floor area values represented within the table. This footnote reads as follows, "Floor Area (gross) shall mean the sum of the gross horizontal areas of several floors of the building measured from the exterior faces of the exterior walls excluding exterior balconies and porches. Floor area shall not include stairwells, vertical shafts and attics and mechanical penthouses provided there are not usable rooms, no windows and the mechanical penthouse area is used exclusively for mechanical equipment."

As noted in a comment on the September 2008 Revised Draft EIR, the footnote in the two exhibits listed above does not reflect a recent *Unified Development Code* amendment that took effect in February 2007 which removed stairways from the list of gross floor area exclusions. As a result, the City-required parking, as specified in the September 2008 Revised Draft EIR, inadvertently did not include the square footage of stairwell space for MOB 1, 2 and 3 or the stairwell square footage in existing MOB E.

To correct this omission, the HMNMH Master Plan Parking Summary included as part of the September 2008 Revised Draft EIR has been revised to include an additional 2,752 square feet of building space. Specifically, square footage of stairwell space by building is listed below:

MOB 1	800 square feet
MOB 2	800 square feet
MOB 3	800 square feet
<u>MOB E</u>	<u>352 square feet</u>
Total	2,752 square feet

The addition of 2,752 gross square feet of medical office building space, which represents the total square footage of stairwell space, would increase the project's overall parking requirement by 14 parking spaces (applying the City's code ratio of one parking space per 200 square feet). Therefore, the total number of on-campus parking required by the City has been changed from 2,190 spaces to 2,204 spaces (an increase of 14 spaces). Since the project proposes a total of 2,231 parking spaces, the project will continue to meet the City's existing parking requirement of 2,204 and will provide an excess of 27 spaces beyond the code requirements. This adjustment in required parking has been reflected in the HMNMH Master Plan Parking Summary. The total number of parking spaces to be provided on the hospital campus as part of the HMNMH Master Plan Project or the conclusions in the EIR will not change as a result of this revision.

Any and all references in the EIR to City-required parking should be deemed modified by this errata document to reflect a total parking requirement of 2,204 parking spaces.²

C. Fire Protection

In its review of the HMNMH Master Plan Draft EIR, the Forestry Division, Prevention Service Bureau of the Los Angeles County Fire Department submitted written comments. In their comments, they suggested that text in the Environmental Setting discussion be modified. This errata shall serve to modify the text as noted below for the second paragraph under the heading Environmental Setting in Section 5.11, Fire Protection.

The first paragraph on page 5.11-1 of the September 2008 Revised Draft EIR is revised as follows:

Fire protection service is provided to the City of Santa Clarita by the County of Los Angeles Fire Department. The three closest stations to the project site that will provide fire protection and emergency medical services (EMS) are ~~The project site receives priority fire protection and emergency medical service from~~ Fire Stations 73, 124, and 126. Fire Station 73 is located approximately 2.0 miles southeast of the project site. The station maintains one fire engine and one paramedic squad and is supported by six personnel. The response time to the project site is approximately 4.8 minutes. Fire Station 124 is located at 25870 Hemingway Avenue in Stevenson Ranch, which is approximately 1.9 miles southwest of the project site. The station maintains one fire engine and one paramedic squad, and is supported by five firefighters, two of whom are paramedics. The response time to the project site is approximately 4.6 minutes. Fire Station 126 is located at 26320 Citrus Drive in Santa Clarita, which is also approximately 1.8 miles northeast of the project site. Fire Station 126 maintains an engine company and a quint (combination engine/ladder truck apparatus), for a total staffing of seven personnel. The response time to the project site is approximately 4.8 minutes. Should a significant incident occur, the project site would be served by ~~the~~ additional available resources of the Fire Department.

The second paragraph on page 5.11-1 of the September 2008 Revised Draft EIR will be revised as follows in the Final EIR.

~~The level of service provided to areas within the City is determined by the Fire Department. Nationally recognized response time targets for urban areas are five minutes for a basic life support unit (engine company) and eight minutes for an advanced life support unit (paramedic squad). The Fire Department is currently meeting these standards. The average response time in the City of Santa Clarita during 2003 was five minutes and 43 seconds. It should be noted that the City encompasses rural and undeveloped areas as well as urban areas.~~ To determine the level of service within the City, the Fire Department uses national guidelines of a 5-minute response for the 1st-

² References in the EIR include, but are not limited to, Section 5.5 – Parking and Appendix K – Parking Study Report

arriving for fire and EMS responses and 8 minutes for the advanced life support (paramedic) unit in urban areas, and an 8-minute response time for the 1st-arriving unit and 12 minutes for advanced life support (paramedic) unit in suburban areas. The Fire Department is currently meeting these standards. The average response time in the City of Santa Clarita during 2007 for emergency incidents was five minutes and 47 seconds. The City of Santa Clarita is a mix of urban/suburban with surrounding rural and undeveloped areas.

This page intentionally left blank.

**FINAL
ENVIRONMENTAL IMPACT REPORT
FOR THE
HENRY MAYO NEWHALL
MEMORIAL HOSPITAL
MASTER PLAN**

SCH NO. 2004111149

Lead Agency:

CITY OF SANTA CLARITA
23920 Valencia Boulevard
Santa Clarita, California 91355
Contact: Ms. Lisa Webber, AICP
661.255.4330

November 6, 2008

JN 10-103970



TABLE OF CONTENTS

1.0	EXECUTIVE SUMMARY.....	1-1
1.1	Project Location.....	1-1
1.2	Project Objectives.....	1-1
1.3	HMNMH Project History and Process.....	1-2
1.4	Project Summary.....	1-9
1.5	Summary of Project Alternatives.....	1-14
1.6	Summary of Environmental Impacts and Mitigation Measures.....	1-19
2.0	INTRODUCTION AND PURPOSE.....	2-1
2.1	Purpose.....	2-1
2.2	Compliance with <i>CEQA</i>	2-2
2.3	EIR Scoping Process.....	2-4
2.4	Format of the EIR.....	2-6
2.5	Responsible and Trustee Agencies.....	2-7
2.6	Incorporation by Reference.....	2-8
3.0	PROJECT DESCRIPTION.....	3-1
3.1	Introduction.....	3-1
3.2	Background.....	3-1
3.3	Project Location.....	3-2
3.4	Project Setting.....	3-5
3.5	Project Objectives.....	3-9
3.6	Project Characteristics.....	3-10
3.7	Project Agreements, Permits, and Approvals.....	3-21
4.0	BASIS OF CUMULATIVE ANALYSIS	4-1
5.0	ENVIRONMENTAL ANALYSIS.....	5-1
5.1	Land Use	5.1-1
5.1.1	Regulatory Framework.....	5.1-1
5.1.2	Environmental Setting.....	5.1-2
5.1.3	Significance Threshold Criteria.....	5.1-5
5.1.4	Impacts and Mitigation Measures.....	5.1-6
5.1.5	Cumulative Impacts and Mitigation Measures	5.1-15
5.1.6	Significant Unavoidable Impacts	5.1-15
5.2	Population and Employment.....	5.2-1
5.2.1	Environmental Setting.....	5.2-1
5.2.2	Significance Threshold Criteria.....	5.2-4
5.2.3	Impacts and Mitigation Measures.....	5.2-4
5.2.4	Cumulative Impacts and Mitigation Measures	5.2-6
5.2.5	Significant Unavoidable Impacts	5.2-6



TABLE OF CONTENTS

[continued]

5.3	Aesthetics, Light, and Glare	5.3-1
5.3.1	Environmental Setting.....	5.3-1
5.3.2	Significance Threshold Criteria.....	5.3-5
5.3.3	Impacts and Mitigation Measures.....	5.3-5
5.3.4	Cumulative Impacts and Mitigation Measures	5.3-47
5.3.5	Significant Unavoidable Impacts	5.3-47
5.4	Traffic	5.4-1
5.4.1	Methodology and Performance Criteria	5.4-1
5.4.2	Environmental Setting.....	5.4-7
5.4.3	Significance Threshold Criteria.....	5.4-18
5.4.4	Impacts and Mitigation Measures.....	5.4-18
5.4.5	Cumulative Impacts and Mitigation Measures	5.4-48
5.4.6	Significant Unavoidable Impacts	5.4-62
5.5	Parking	5.5-1
5.5.1	Environmental Setting.....	5.5-1
5.5.2	Significance Threshold Criteria.....	5.5-12
5.5.3	Impacts and Mitigation Measures.....	5.5-13
5.5.4	Cumulative Impacts and Mitigation Measures	5.5-17
5.5.5	Significant Unavoidable Impacts	5.5-18
5.6	Air Quality.....	5.6-1
5.6.1	Environmental Setting.....	5.6-1
5.6.2	Significance Threshold Criteria.....	5.6-18
5.6.3	Impacts and Mitigation Measures.....	5.6-21
5.6.4	Cumulative Impacts and Mitigation Measures	5.6-32
5.6.5	Significant Unavoidable Impacts	5.6-45
5.7	Noise	5.7-1
5.7.1	Environmental Setting.....	5.7-1
5.7.2	Significance Threshold Criteria.....	5.7-15
5.7.3	Impacts and Mitigation Measures.....	5.7-17
5.7.4	Cumulative Impacts and Mitigation Measures	5.7-28
5.7.5	Significant Unavoidable Impacts	5.7-31
5.8	Geology, Soils, and Seismicity.....	5.8-1
5.8.1	Environmental Setting.....	5.8-1
5.8.2	Significance Threshold Criteria.....	5.8-9
5.8.3	Impacts and Mitigation Measures.....	5.8-10
5.8.4	Cumulative Impacts and Mitigation Measures	5.8-16
5.8.5	Significant Unavoidable Impacts	5.8-16
5.9	Hazards and Hazardous Materials.....	5.9-1
5.9.1	Environmental Setting.....	5.9-1
5.9.2	Significance Threshold Criteria.....	5.9-9
5.9.3	Impacts and Mitigation Measures.....	5.9-10
5.9.4	Cumulative Impacts and Mitigation Measures	5.9-16
5.9.5	Significant Unavoidable Impacts	5.9-17



TABLE OF CONTENTS

[continued]

5.10	Hydrology and Water Quality	5.10-1
5.10.1	Environmental Setting.....	5.10-1
5.10.2	Significance Threshold Criteria.....	5.10-14
5.10.3	Impacts and Mitigation Measures.....	5.10-14
5.10.4	Cumulative Impacts and Mitigation Measures	5.10-20
5.10.5	Significant Unavoidable Impacts	5.10-20
5.11	Fire Protection Services	5.11-1
5.11.1	Environmental Setting.....	5.11-1
5.11.2	Significance Threshold Criteria.....	5.11-2
5.11.3	Impacts and Mitigation Measures.....	5.11-2
5.11.4	Cumulative Impacts and Mitigation Measures	5.11-4
5.11.5	Significant Unavoidable Impacts	5.11-5
5.12	Sheriff Services	5.12-1
5.12.1	Environmental Setting.....	5.12-1
5.12.2	Significance Threshold Criteria.....	5.12-4
5.12.3	Impacts and Mitigation Measures.....	5.12-4
5.12.4	Cumulative Impacts and Mitigation Measures	5.12-7
5.12.5	Significant Unavoidable Impacts	5.12-8
5.13	Schools/Education.....	5.13-1
5.13.1	Environmental Setting.....	5.13-1
5.13.2	Significance Threshold Criteria.....	5.13-4
5.13.3	Impacts and Mitigation Measures.....	5.13-4
5.13.4	Cumulative Impacts and Mitigation Measures	5.13-5
5.13.5	Significant Unavoidable Impacts	5.13-6
5.14	Solid Waste.....	5.14-1
5.14.1	Environmental Setting.....	5.14-1
5.14.2	Significance Threshold Criteria.....	5.14-4
5.14.3	Impacts and Mitigation Measures.....	5.14-5
5.14.4	Cumulative Impacts and Mitigation Measures	5.14-8
5.14.5	Significant Unavoidable Impacts	5.14-9
5.15	Electricity.....	5.15-1
5.15.1	Environmental Setting.....	5.15-1
5.15.2	Significance Threshold Criteria.....	5.15-2
5.15.3	Impacts and Mitigation Measures.....	5.15-2
5.15.4	Cumulative Impacts and Mitigation Measures	5.15-3
5.15.5	Significant Unavoidable Impacts	5.15-4
5.16	Natural Gas.....	5.16-1
5.16.1	Environmental Setting.....	5.16-1
5.16.2	Significance Threshold Criteria.....	5.16-3
5.16.3	Impacts and Mitigation Measures.....	5.16-4
5.16.4	Cumulative Impacts and Mitigation Measures	5.16-5
5.16.5	Significant Unavoidable Impacts	5.16-5



TABLE OF CONTENTS

[continued]

5.17	Water Supply.....	5.17-1
5.17.1	Environmental Setting.....	5.17-2
5.17.2	Significance Threshold Criteria.....	5.17-47
5.17.3	Impacts and Mitigation Measures.....	5.17-48
5.17.4	Cumulative Impacts and Mitigation Measures	5.17-55
5.17.5	Significant Unavoidable Impacts	5.17-62
5.18	Wastewater.....	5.18-1
5.18.1	Environmental Setting.....	5.18-1
5.18.2	Significance Threshold Criteria.....	5.18-5
5.18.3	Impacts and Mitigation Measures.....	5.18-5
5.18.4	Cumulative Impacts and Mitigation Measures	5.18-7
5.18.5	Significant Unavoidable Impacts	5.18-8
6.0	ALTERNATIVES TO THE PROPOSED PROJECT	6-1
6.1	Alternatives Considered But Rejected From Analysis	6-4
6.2	No Project/No Development Alternative	6-5
6.3	Alternative One (Inpatient Building and Supporting Facilities Only).....	6-11
6.4	Alternative Two (MOBs 1 & 2, Inpatient Building and Supporting Facilities)	6-18
6.5	Alternative Three (MOBs 1-3, Reduced Height Inpatient Building and Supporting Facilities)	6-27
6.6	Environmentally Superior Alternative.....	6-34
7.0	LONG-TERM IMPLICATIONS OF THE PROPOSED PROJECT.....	7-1
7.1	Significant Irreversible Environmental Changes Which Would be Involved in the Proposed Actions Should They be Implemented.....	7-1
7.2	Growth Inducing Impacts.....	7-1
8.0	SIGNIFICANT UNAVOIDABLE ENVIRONMENTAL EFFECTS WHICH CANNOT BE AVOIDED IF THE PROPOSED ACTION IS IMPLEMENTED.....	8-1
8.1	Traffic	8-1
8.2	Air Quality.....	8-2
8.3	Noise	8-2
8.4	Solid Waste.....	8-2
9.0	EFFECTS FOUND NOT TO BE SIGNIFICANT	9-1
9.1	Initial Study Conclusions	9-1
9.2	EIR Conclusions	9-3
10.0	ORGANIZATIONS AND PERSONS CONSULTED	10-1
10.1	Lead Agency	10-1
10.2	Preparers of the Environmental Impact Report.....	10-1



TABLE OF CONTENTS

[continued]

11.0	MITIGATION MONITORING PROGRAM.....	11-1
12.0	COMMENTS AND RESPONSES.....	12-1
12.1	CEQA Requirements	12-1
12.2	Public Review Process.....	12-1
12.3	Final EIR.....	12-2
12.4	Comments and Responses	12-3
12.5	Written Comments on June 2008 Revised Draft EIR – Public Agencies	12-8
12.6	Written Comments on June 2008 Revised Draft EIR – Individuals and/or Groups	12-26
12.7	Topical Responses	12-174
12.8	Oral Testimony from September 23, 2008 City Council Hearing	12-208
12.9	Written Comment Cards from September 23, 2008 City Council Hearing	12-394
12.10	Written Comments on September 2008 Revised Draft EIR – Public Agencies	12-438
12.11	Written Comments on September 2008 Revised Draft EIR – Individuals and/or Groups.....	12-451

APPENDICES (Separate Volumes and/or Enclosed CD)

A.	INITIAL STUDY/NOTICE OF PREPARATION
B.	NOP COMMENTS
C.	CUMULATIVE GROWTH CALCULATIONS
D.	WATER SUPPLY ASSESSMENT
E.	TRAFFIC IMPACT ANALYSIS
F1.	AIR QUALITY IMPACT ANALYSIS
F2.	GREENHOUSE GAS EMISSIONS TECHNICAL MEMORANDUM
F3.	OPR CEQA AND CLIMATE CHANGE TECHNICAL ADVISORY
G.	NOISE IMPACT ANALYSIS
H.	GEOLOGY AND SOILS ANALYSIS
I.	HENRY MAYO NEWHALL MEMORIAL HOSPITAL CENTRAL PLANT MATERIALS STORAGE LIST
J.	HELIPAD NOISE ANALYSIS
K.	PARKING STUDY REPORT
L.	HYDROLOGY STUDY
M.	SEWER STUDY



LIST OF TABLES

1-1	Modifications to Master Plan Square Footage from August 2004 to June 2008	1-6
1-2	Master Plan Buildout Development Program	1-11
1-3	Comparison of Development of the Proposed Project and Alternatives	1-15
3-1	Existing Medical Campus Facilities and Uses	3-5
3-2	Proposed Medical Campus Facilities (New Buildings).....	3-11
3-3	Proposed Medical Campus Facilities (New Parking Structures).....	3-11
3-4	Master Plan Buildout Development Program	3-13
3-5	Master Plan Parking Summary	3-20
4-1	Cumulative Projects List	4-2
5.1-1	Project Consistency with Applicable General Plan Goals and Policies.....	5.1-6
5.3-1	HMNMH Master Plan Building Heights.....	5.3-20
5.4-1	Level of Service Descriptions	5.4-4
5.4-2	Arterial Intersection Performance Criteria.....	5.4-5
5.4-3	Arterial Roadway Performance Criteria	5.4-6
5.4-4	ICU Summary – Existing Conditions	5.4-13
5.4-5	ICU Summary – Project Driveways	5.4-14
5.4-6	Project Land Use Summary – Master Plan Buildout.....	5.4-19
5.4-7	Project Trip Generation Summary – Master Plan Buildout.....	5.4-19
5.4-8	Project Trip Generation Summary – By Building.....	5.4-20
5.4-9	Existing Traffic Volume Summary (On-Site)	5.4-20
5.4-10	Project Volumes on State Highways	5.4-25
5.4-11	ICU and LOS Summary – Interim Year (With and Without Project).....	5.4-30
5.4-12	Future ICU Summary – Project Driveways	5.4-37
5.4-13	Internal Intersection Level of Service Analysis	5.4-47



LIST OF TABLES

[continued]

5.4-14	ADT LOS Summary – Long-Range Cumulative Conditions With and Without Proposed Project	5.4-53
5.4-15	ICU and LOS Summary – Long Range Cumulative Conditions With and Without Project.....	5.4-58
5.4-16	Share Summary	5.4-59
5.4-17	ICU and LOS Summary with Project Mitigation	5.4-60
5.5-1	Existing Parking Supply	5.5-2
5.5-2	Observed Parking Demand vs. Existing Supply	5.5-6
5.5-3	Parking Demand “Design Value” (2007/2008)	5.5-11
5.5-4	Field Study Parking Demand Versus City Code (Existing Development).....	5.5-15
5.5-5	City Code Parking Calculation Summary	5.5-16
5.5-6	Proposed Master Plan Parking Provisions	5.5-17
5.6-1	Ambient Air Quality Standards.....	5.6-2
5.6-2	Health Effects Summary of the Major Criteria Air Pollutants.....	5.6-3
5.6-3	South Coast Air Basin Attainment Status	5.6-13
5.6-4	Ambient Air Quality at Santa Clarita Air Monitoring Station (1-Hour and 24-Hour Concentrations).....	5.6-16
5.6-5	Ambient Air Quality at Santa Clarita Air Monitoring Station (8-Hour and 24-Hour Concentrations).....	5.6-17
5.6-6	SCAQMD Significance Thresholds.....	5.6-18
5.6-7	Localized Significance Thresholds at 25 Meters.....	5.6-19
5.6-8	Peak-Day Construction Emissions by Phase.....	5.6-23
5.6-9	Standard Measures for Construction-Related Emissions	5.6-25
5.6-10	Long-Term Operational Emissions.....	5.6-26
5.6-11	Summary of Operational Localized Significance	5.6-27
5.6-12	Existing CO Concentrations	5.6-28



LIST OF TABLES

[continued]

5.6-13	Interim Year CO Concentrations Without and With Project	5.6-30
5.6-14	Existing Greenhouse Gas Emissions – Operational	5.6-39
5.6-15	Project Greenhouse Gas Emissions/Operational (Does Not Include Existing Facilities).....	5.6-40
5.6-16	Project-Generated CO ₂ Emissions – Construction.....	5.6-40
5.6-17	Consistency Analysis with Applicable GHG Reduction Strategies to Reduce Climate Change in California.....	5.6-42
5.7-1	Definitions of Acoustical Terms.....	5.7-5
5.7-2	Common Sound Levels and Their Noise Sources	5.7-6
5.7-3	Land Use Compatibility for Exterior Community Noise	5.7-7
5.7-4	Existing Traffic Noise Levels	5.7-11
5.7-5	Henry Mayo Newhall Memorial Hospital Noise Monitoring Results	5.7-12
5.7-6	Typical Maximum Construction Equipment Noise Levels (Lmax)	5.7-18
5.7-7	Interim Year Traffic Noise Levels Without Project	5.7-21
5.7-8	Interim Year Traffic Noise Levels With Project	5.7-22
5.7-9	2030 Traffic Noise Levels Without Project	5.7-29
5.7-10	2030 Traffic Noise Levels With Project	5.7-30
5.8-1	Summary of Faults and Generalized Earthquake Information.....	5.8-6
5.10-1	2006 CWA Section 303(d) Listings for the Santa Clara River.....	5.10-3
5.13-1	Newhall District Enrollment/Capacity.....	5.13-2
5.13-2	Hart District Enrollment/Capacity	5.13-2
5.14-1	Landfills Summary.....	5.14-5
5.14-2	Daily Projected Solid Waste Generation for Project (No Recycling)	5.14-7
5.15-1	Project Electricity Consumption.....	5.15-3
5.16-1	Project Natural Gas Consumption	5.16-4



LIST OF TABLES

[continued]

5.17-1	Retail Water Service Connections.....	5.17-5
5.17-2	Groundwater Operating Plan for the Santa Clarita Valley	5.17-8
5.17-3	Historical Groundwater Production by the Retail Water Purveyors	5.17-9
5.17-4	Projected Groundwater Production (Normal Year).....	5.17-10
5.17-5	Active Municipal Groundwater Source Capacity – Alluvial Aquifer Wells	5.17-11
5.17-6	Active Municipal Groundwater Source Capacity – Saugus Formation Wells	5.17-14
5.17-7	Perchlorate Treatment Summary	5.17-24
5.17-8	Comparison of Basin Plan Mineral Groundwater Objectives with Mean Measured Values in Los Angeles County and SWP Water Quality at Castaic Lake	5.17-27
5.17-9	Projected Average/Normal Year Supplies	5.17-34
5.17-10	Projected Single-Dry Year Supplies.....	5.17-35
5.17-11	Projected Multiple-Dry Years Supplies.....	5.17-36
5.17-12	SWP Table A Supply (in Percent of CLWA Table A Amount) for Single-Dry and Multiple-Dry Years	5.17-38
5.17-13	CLWA’s Projected Water Demands.....	5.17-40
5.17-14	Existing (2006) Plus Project Demand and Supply for the Santa Clarita Valley (acre-feet per year).....	5.17-54
5.17-15	Projected Average/Normal Year Supplies and Demands.....	5.17-56
5.17-16	Projected Single-Dry Year Supplies and Demands.....	5.17-57
5.17-17	Projected Multiple-Dry Years Supplies.....	5.17-59
5.17-18	Santa Clarita Valley 2030 Buildout Scenario Water Supplies (acre-feet)	5.17-61
5.17-19	Scenario 2: Santa Clarita Valley 2030 Buildout Scenario Water Demand and Supply (acre-feet)	5.17-61
5.18-1	Existing Wastewater Generation	5.18-1
5.18-2	Project Wastewater Generation	5.18-5
6-1	Comparison of Development of the Proposed Project and Alternatives.....	6-2
6-2	Comparison of Alternatives.....	6-37



LIST OF EXHIBITS

3-1	Regional Location Map	3-3
3-2	Project Vicinity Map	3-4
3-3	Aerial Photograph	3-7
3-4	Existing Campus.....	3-8
3-5	Proposed Campus Master Plan.....	3-14
3-6	Aerial View of Proposed Buildings and Parking Structures	3-15
3-7	Height Limits	3-18
5.1-1	Existing General Plan/Zoning Map.....	5.1-3
5.3-1	Cross-Section Location Map	5.3-8
5.3-2	Cross-Section A and B: PS1	5.3-9
5.3-3	Cross-Section C: MOB1.....	5.3-10
5.3-4	Cross-Section D and E: MOB2	5.3-11
5.3-5	Cross-Section F: MOB3.....	5.3-12
5.3-6	Cross-Section G: PS2 and PS3.....	5.3-13
5.3-7	Cross-Section H and I: PS2 and PS3	5.3-14
5.3-8	Cross-Section J: Inpatient Building	5.3-15
5.3-9	Cross-Section K: Inpatient Building	5.3-16
5.3-10	Proposed Building Height Limit Zones.....	5.3-17
5.3-11	MOB1: Building Exterior Elevations.....	5.3-22
5.3-12	PS1: Building Exterior Elevations	5.3-23
5.3-13	Tree Removal Plan Along McBean Parkway	5.3-25
5.3-14	Conceptual Landscape Plan for MOB2 and MOB F Along McBean Parkway	5.3-28
5.3-15	Conceptual Landscape Plan for MOB1 and PS1 Along McBean Parkway	5.3-29
5.3-16	Conceptual Landscape Plan Along Hillside and Western Boundary	5.3-30



LIST OF EXHIBITS

[continued]

5.3-17	Viewpoint Location Map	5.3-32
5.3-18	Viewpoint 1: (Intersection of McBean Parkway and Avenida Navarre Looking West): Existing and Proposed Conditions	5.3-35
5.3-19	Viewpoint 2 (Intersection of McBean Parkway and Orchard Village Road Looking North): Existing and Proposed Conditions	5.3-39
5.3-20	Viewpoint 3 (Residential Property on Ramillo Way Looking East): Existing and Proposed Conditions.....	5.3-43
5.4-1	Study Area Intersections	5.4-2
5.4-2	Existing Intersection Lane Configurations	5.4-8
5.4-3	Existing Average Daily Traffic Volumes.....	5.4-9
5.4-4	Existing AM Peak Hour Intersection Volumes.....	5.4-10
5.4-5	Existing PM Peak Hour Intersection Volumes.....	5.4-11
5.4-6	AM Peak Hour Intersection Volumes – Existing Conditions at Project Driveways	5.4-15
5.4-7	PM Peak Hour Intersection Volumes – Existing Conditions at Project Driveways.....	5.4-16
5.4-8	Intersection Lane Configurations – Existing Project Driveways	5.4-17
5.4-9	AM Peak Hour Intersection Volumes – Proposed Project.....	5.4-22
5.4-10	PM Peak Hour Intersection Volumes – Proposed Project	5.4-23
5.4-11	Proposed Project ADT Volumes.....	5.4-24
5.4-12	AM Peak Hour Intersection Volumes – Interim Year (No Project)	5.4-27
5.4-13	PM Peak Hour Intersection Volumes – Interim Year (No Project).....	5.4-28
5.4-14	Interim Year (No Project) ADT Volumes	5.4-29
5.4-15	AM Peak Hour Intersection Volumes – Interim Year With Project	5.4-31
5.4-16	PM Peak Hour Intersection Volumes – Interim Year With Project.....	5.4-32
5.4-17	Interim Year With Project ADT Volumes.....	5.4-33
5.4-18	AM Peak Hour Intersection Volumes – Interim Year Conditions at Project Driveways	5.4-38



LIST OF EXHIBITS

[continued]

5.4-19	PM Peak Hour Intersection Volumes – Interim Year Conditions at Project Driveways.....	5.4-39
5.4-20	Intersection Lane Configurations – Project Driveways	5.4-40
5.4-21	Internal Study Intersections.....	5.4-42
5.4-22	Lane Geometrics and Traffic Controls.....	5.4-43
5.4-23	Daily Internal Traffic Volumes	5.4-44
5.4-24	AM Peak Hour Internal Volumes.....	5.4-45
5.4-25	PM Peak Hour Internal Volumes	5.4-46
5.4-26	Long-Range Cumulative (No Project) ADT Volumes.....	5.4-49
5.4-27	Long-Range Cumulative With Project ADT Volumes	5.4-50
5.4-28	Net Change in ADT Volumes Due to the Project (Long-Range Cumulative Conditions)....	5.4-51
5.5-1	Existing Parking Layout	5.5-3
5.5-2	Parking Subareas.....	5.5-7
5.7-1	Noise Monitoring Locations.....	5.7-14
5.7-2	Helipad Operations (2005)	5.7-16
5.7-3	PS1 Helipad Operations.....	5.7-25
5.7-4	Inpatient Building Helipad Operations.....	5.7-26
5.8-1	Geologic Map.....	5.8-2
5.9-1	Hospital Helipad Approach/Departure and Transitional Surfaces	5.9-2
5.17-1	Forecasted Two-Year Groundwater Capture Zones for Active Alluvial Production Wells Located Closest to the Whittaker-Bermite Property	5.17-20
5.17-2	Forecasted Two-Year Groundwater Capture Zones for Active Saugus Production Wells Located Closest to the Whittaker-Bermite Property	5.17-23
5.18-1	Santa Clarita Valley Sanitation District Current Boundary and Sphere of Influence.....	5.18-4



CD Page

The attached CD includes the following:

September 2008 Revised Draft EIR

September 2008 Revised Draft EIR Technical Appendices

Final EIR (Errata, Mitigation Monitoring Program, Comments and Responses)